ELSEVIER

Neuroscience Letters 353 (2003) 234–237

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 353

Abu-Raya, S., see Trembovler, V., 115
Agostino, P.V., see Rubio, M.F., 9
Akiyama, K., see Sato, G., 131
Akiyama, T., see Takauchi, Y., 205
Alku, P., see Mäkelä, A.M., 111
Anderton, B.H., see Leroy, K., 226
Anokhin, A.P., Heath, A.C., Myers, E., Ralano, A., Wood, S., Genetic influences on prepulse inhibition of startle reflex in humans, 45
Aquilini, L., see Mancini, F., 79
Asada, T., see Sakasegawa, Y., 49

Bell, K.F.S., de Kort, G.J.L., Steggerda, S., Shigemoto, R., Ribeiro-da-Silva, A., Cuello, A.C., Structural involvement of the glutamatergic presynaptic boutons in a transgenic mouse model expressing early onset amyloid pathology, 143
Berchtold, N.C., see Kesslak, J.P., 95
Bernardi, L., see Emanuele, E., 201
Binetti, G., see Emanuele, E., 201
Birnir, B., see Lim, M.S.F., 139
Blotta, I., see Confaloni, A., 61
Boutajangout, A., see Leroy, K., 226
Brice, A., see Cousin, E., 153
Brion, J.P., see Leroy, K., 226
Brun, C., see Cousin, E., 153
Bruni, A.C., see Confaloni, A., 61
Bruni, A.C., see Emanuele, E., 201
Bubula, N., see Won, L., 83
Bültemeier, G., see Vosko, M.R., 217
Burggraf, D., see Vosko, M.R., 217
Busch, E., see Vosko, M.R., 217

Campeggi, L.M., see Confaloni, A., 61
Campion, D., see Cousin, E., 153
Cantafora, A., see Confaloni, A., 61
Carlton, S.M., see Coggeshall, R.E., 197
Carter, J.R., Mynlieff, M., Amyotrophic lateral sclerosis patient IgG alters voltage dependence of Ca^{2+} channels in dissociated rat motoneurons, 221
Castro, J., see Guillén, A., 177
Catley, M., see Strutton, P.H., 33
Chaki, S., see Kawashima, N., 119
Chang, H.-K., see Kim, S.-S., 41
Chansac, C., see Cousin, E., 153
Chen, B.-Y., see Zhao, H., 37
Cheng, C.-Y., see Hong, C.-J., 75
Chiken, S., Hatanaka, N., Tokuno, H., Cytochrome oxidase activity in the monkey globus pallidus and subthalamic nucleus after ablation of striatal interneurons expressing substance P receptors, 103
Chuang, K.R., see Kesslak, J.P., 95
Clark, J.D., see Ding, Y., 173
Coggeshall, R.E., Carlton, S.M., Control of postganglionic sympathetic efferent fibers by neurokinin 1 receptors in rats, 197
Coletta, I., see Mancini, F., 79
Confaloni, A., Terreni, L., Piscopo, P., Crestini, A., Campeggi, L.M., Frigerio, C.S., Blotta, I., Perri, M., Di Natale, M., Maletta, R., Marcon, G., Franceschi, M., Bruni, A.C., Forloni, G., Cantafora, A., Nicastrin gene in familial and sporadic Alzheimer's disease, 61
Cousin, E., Hannequin, D., Macé, S., Dubois, B., Ricard, S., Génin, E., Brun, C., Chansac, C., Pradier, L., Frebourg, T., Brice, A., Campion, D., Deleuze, J.-F., No replication of the association between the Nicastrin gene and familial early-onset Alzheimer's disease, 153
Crawford, F., see Quadros, A., 66
Crescentini, R., see Quadros, A., 66
Crestini, A., see Confaloni, A., 61
Cuello, A.C., see Bell, K.F.S., 143

Davey, N.J., see Strutton, P.H., 33
de Kort, G.J.L., see Bell, K.F.S., 143
de Vries, W.R., see Lijffijt, M., 123
Deleuze, J.-F., see Cousin, E., 153
Delogu, M.R., see Serra, P.A., 5
Desole, M.S., see Serra, P.A., 5
Di Natale, M., see Confaloni, A., 61
Diaz, F.G., see Ding, Y., 173
Dickson, S.L., see Sunter, D., 1
Ding, Y., Young, C.N., Li, J., Luan, X., McAllister II, J.P., Clark, J.D., Diaz, F.G., Reduced inflammatory mediator expression by pre-reperfusion infusion into ischemic territory in rats: a real-time polymerase chain reaction analysis, 173
Dohmae, N., see Hoshino, M., 135
Drent, M.L., see Lijffijt, M., 123
Du, Y., see Lin, S., 209
Dubois, B., see Cousin, E., 153

Ecker, D., see Süssmuth, S.D., 57
Emanuele, E., Peros, E., Tomaino, C., Feudatari, E., Bernardi, L., Binetti, G., Maletta, R., Micieli, G., Bruni, A.C., Geroldi, D., Association between small apolipoprotein(a) isoforms and frontotemporal dementia in humans, 201
Esposito, G., see Serra, P.A., 5
Eun, B.-L., see Uhm, C.-S., 21

Fan, Y., see Zhang, W., 157
Ferrari, P., see Inouchi, M., 165
Ferrari, P., see Kubota, M., 107
Ferreyra, G.A., see Rubio, M.F., 9
Feudatari, E., see Emanuele, E., 201
Fink, A., see Stipacek, A., 193

doi:10.1016/S0304-3940(03)01329-6

ELSEVIER

Neuroscience Letters 353 (2003) 234–237

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 353

Abu-Raya, S., see Trembovler, V., 115
Agostino, P.V., see Rubio, M.F., 9
Akiyama, K., see Sato, G., 131
Akiyama, T., see Takauchi, Y., 205
Alku, P., see Mäkelä, A.M., 111
Anderton, B.H., see Leroy, K., 226
Anokhin, A.P., Heath, A.C., Myers, E., Ralano, A., Wood, S., Genetic influences on prepulse inhibition of startle reflex in humans, 45
Aquilini, L., see Mancini, F., 79
Asada, T., see Sakasegawa, Y., 49

Bell, K.F.S., de Kort, G.J.L., Steggerda, S., Shigemoto, R., Ribeiro-da-Silva, A., Cuello, A.C., Structural involvement of the glutamatergic presynaptic boutons in a transgenic mouse model expressing early onset amyloid pathology, 143
Berchtold, N.C., see Kesslak, J.P., 95
Bernardi, L., see Emanuele, E., 201
Binetti, G., see Emanuele, E., 201
Birnir, B., see Lim, M.S.F., 139
Blotta, I., see Confaloni, A., 61
Boutajangout, A., see Leroy, K., 226
Brice, A., see Cousin, E., 153
Brion, J.P., see Leroy, K., 226
Brun, C., see Cousin, E., 153
Bruni, A.C., see Confaloni, A., 61
Bruni, A.C., see Emanuele, E., 201
Bubula, N., see Won, L., 83
Bültemeier, G., see Vosko, M.R., 217
Burggraf, D., see Vosko, M.R., 217
Busch, E., see Vosko, M.R., 217

Campeggi, L.M., see Confaloni, A., 61
Campion, D., see Cousin, E., 153
Cantafora, A., see Confaloni, A., 61
Carlton, S.M., see Coggeshall, R.E., 197
Carter, J.R., Mynlieff, M., Amyotrophic lateral sclerosis patient IgG alters voltage dependence of Ca^{2+} channels in dissociated rat motoneurons, 221
Castro, J., see Guillén, A., 177
Catley, M., see Strutton, P.H., 33
Chaki, S., see Kawashima, N., 119
Chang, H.-K., see Kim, S.-S., 41
Chansac, C., see Cousin, E., 153
Chen, B.-Y., see Zhao, H., 37
Cheng, C.-Y., see Hong, C.-J., 75
Chiken, S., Hatanaka, N., Tokuno, H., Cytochrome oxidase activity in the monkey globus pallidus and subthalamic nucleus after ablation of striatal interneurons expressing substance P receptors, 103
Chuang, K.R., see Kesslak, J.P., 95
Clark, J.D., see Ding, Y., 173
Coggeshall, R.E., Carlton, S.M., Control of postganglionic sympathetic efferent fibers by neurokinin 1 receptors in rats, 197
Coletta, I., see Mancini, F., 79
Confaloni, A., Terreni, L., Piscopo, P., Crestini, A., Campeggi, L.M., Frigerio, C.S., Blotta, I., Perri, M., Di Natale, M., Maletta, R., Marcon, G., Franceschi, M., Bruni, A.C., Forloni, G., Cantafora, A., Nicastrin gene in familial and sporadic Alzheimer's disease, 61
Cousin, E., Hannequin, D., Macé, S., Dubois, B., Ricard, S., Génin, E., Brun, C., Chansac, C., Pradier, L., Frebourg, T., Brice, A., Campion, D., Deleuze, J.-F., No replication of the association between the Nicastrin gene and familial early-onset Alzheimer's disease, 153
Crawford, F., see Quadros, A., 66
Crescentini, R., see Quadros, A., 66
Crestini, A., see Confaloni, A., 61
Cuello, A.C., see Bell, K.F.S., 143

Davey, N.J., see Strutton, P.H., 33
de Kort, G.J.L., see Bell, K.F.S., 143
de Vries, W.R., see Lijffijt, M., 123
Deleuze, J.-F., see Cousin, E., 153
Delogu, M.R., see Serra, P.A., 5
Desole, M.S., see Serra, P.A., 5
Di Natale, M., see Confaloni, A., 61
Diaz, F.G., see Ding, Y., 173
Dickson, S.L., see Sunter, D., 1
Ding, Y., Young, C.N., Li, J., Luan, X., McAllister II, J.P., Clark, J.D., Diaz, F.G., Reduced inflammatory mediator expression by pre-reperfusion infusion into ischemic territory in rats: a real-time polymerase chain reaction analysis, 173
Dohmae, N., see Hoshino, M., 135
Drent, M.L., see Lijffijt, M., 123
Du, Y., see Lin, S., 209
Dubois, B., see Cousin, E., 153

Ecker, D., see Süssmuth, S.D., 57
Emanuele, E., Peros, E., Tomaino, C., Feudatari, E., Bernardi, L., Binetti, G., Maletta, R., Micieli, G., Bruni, A.C., Geroldi, D., Association between small apolipoprotein(a) isoforms and frontotemporal dementia in humans, 201
Esposito, G., see Serra, P.A., 5
Eun, B.-L., see Uhm, C.-S., 21

Fan, Y., see Zhang, W., 157
Ferrari, P., see Inouchi, M., 165
Ferrari, P., see Kubota, M., 107
Ferreyra, G.A., see Rubio, M.F., 9
Feudatari, E., see Emanuele, E., 201
Fink, A., see Stipacek, A., 193

doi:10.1016/S0304-3940(03)01329-6

Forloni, G., see Confaloni, A., 61
Franceschi, M., see Confaloni, A., 61
Frebourg, T., see Cousin, E., 153
Frigerio, C.S., see Confaloni, A., 61
Frost Jr., J., see Ktonas, P., 161
Fu, Q., see Qiu, Y., 25
Fujibayashi, Y., see Omata, N., 148

García-Villafranca, J., see Guillén, A., 177
Gemba, H., see Kyuhou, S.-i., 181
Génin, E., see Cousin, E., 153
Geroldi, D., see Emanuele, E., 201
Ghil, G.S., see Park, S., 91
Gillardin, J.-M., see Verleye, M., 127
Golombek, D.A., see Rubio, M.F., 9
Goto, Y., see Sakasegawa, Y., 49
Grabner, R.H., see Stipacek, A., 193
Gross, M., see Won, L., 83
Guglielmotti, A., see Mancini, F., 79
Guillén, A., García-Villafranca, J., Mata, F., Homburger, V., Castro, J., Effect of chronic alcohol consumption on Go protein in rat brain, 177
Gutiérrez, R., see Maqueda, J., 69

Hachiya, N.S., see Sakasegawa, Y., 49
Hamann, G.F., see Vosko, M.R., 217
Hannequin, D., see Cousin, E., 153
Hatanaka, N., see Chiken, S., 103
Heath, A.C., see Anokhin, A.P., 45
Heller, A., see Won, L., 83
Hessefort, S., see Won, L., 83
Heulard, I., see Verleye, M., 127
Hewson, A.K., see Sunter, D., 1
Hirao, A., see Suzuki, M., 189
Homburger, V., see Guillén, A., 177
Hong, C.-J., Liu, H.-C., Liu, T.-Y., Lin, C.-H., Cheng, C.-Y., Tsai, S.-J., Brain-derived neurotrophic factor (BDNF) Val66Met polymorphisms in Parkinson's disease and age of onset, 75
Hong, H.N., see Kim, D., 17
Hoshino, M., Dohmae, N., Takio, K., Kanazawa, I., Nukina, N., Identification of a novel amino-terminal fragment of amyloid precursor protein in mouse neuroblastoma Neuro2a cell, 135
Hu, Y., see Zhang, W., 157

Ichinose, T., see Yoshimura, Y., 185
Im, J.O., see Kim, D., 17
Imamura, T., see Katsu, T., 53
Inouchi, M., Kubota, M., Ferrari, P., Roberts, T.P.L., Magnetic mismatch fields elicited by vowel duration and pitch changes in Japanese words in humans: comparison between native- and non-speakers of Japanese, 165
Inui, K., see Qiu, Y., 25
Ishii, Y., see Negishi, T., 99
Iwase, S., see Qiu, Y., 25

Jang, M.-H., see Kim, S.-S., 41
Joo, W.S., see Park, S., 91
Jung, J.-S., see Kim, D.-H., 13

Kakigi, R., see Qiu, Y., 25
Kanazawa, I., see Hoshino, M., 135
Kaneko, K., see Sakasegawa, Y., 49
Katsu, T., Ujike, H., Nakano, T., Tanaka, Y., Nomura, A., Nakata, K., Takaki, M., Sakai, A., Uchida, N., Imamura, T., Kuroda, S., The human frizzled-3 (*FZD3*) gene on chromosome 8p21, a receptor gene for Wnt ligands, is associated with the susceptibility to schizophrenia, 53
Kawashima, N., Chaki, S., Okuyama, S., Electrophysiological effects of melanocortin receptor ligands on neuronal activities of monoaminergic neurons in rats, 119
Kemner, C., see Lijffijt, M., 123
Kenemans, J.L., see Lijffijt, M., 123
Kesslak, J.P., Chuang, K.R., Berchtold, N.C., Spatial learning is delayed and brain-derived neurotrophic factor mRNA expression inhibited by administration of MK-801 in rats, 95
Kim, C.-J., see Kim, S.-S., 41
Kim, D., Kim, M.J., Lee, J.H., Im, J.O., Won, Y.J., Yoon, S.-Y., Hong, H.N., Concomitant distribution shift of glial GABA transporter and S100 calcium-binding proteins in the rat retina after kainate-induced excitotoxic injury, 17
Kim, D.-H., Moon, Y.-S., Lee, T.-H., Jung, J.-S., Suh, H.-W., Song, D.-K., The inhibitory effect of ginseng saponins on the stress-induced plasma interleukin-6 level in mice, 13
Kim, E.Y., see Park, S., 91
Kim, H., see Kim, S.-S., 41
Kim, H., see Uhm, C.-S., 21
Kim, K.-B., see Uhm, C.-S., 21
Kim, M.J., see Kim, D., 17
Kim, S.-S., Kim, H., Lee, S.-J., Chang, H.-K., Shin, M.-C., Jang, M.-H., Shin, M.-S., Kim, C.-J., Treadmill exercise suppresses food-deprivation-induced increase of nitric oxide synthase expression in rat paraventricular nucleus, 41
Kim, Y.-H., see Uhm, C.-S., 21
Kim, Y.S., see Park, S., 91
Kimura, H., see Sakasegawa, Y., 49
Kinoshita, T., see Sakasegawa, Y., 49
Kishida, H., see Sakasegawa, Y., 49
Koppeschaar, H.P.F., see Lijffijt, M., 123
Ktonas, P., Nygren, A., Frost Jr., J., Two-minute rapid eye movement (REM) density fluctuations in human REM sleep, 161
Kubota, M., Ferrari, P., Roberts, T.P.L., Magnetoencephalography detection of early syntactic processing in humans: comparison between L1 speakers and L2 learners of English, 107
Kubota, M., see Inouchi, M., 165
Kuroda, S., see Katsu, T., 53
Kuroda, Y., see Negishi, T., 99
Kuroiwa, Y., see Sakasegawa, Y., 49
Kusano, E., see Suzuki, M., 189
Kyuhou, S.-i., Matsuzaki, R., Gemba, H., Perirhinal cortex relays auditory information to the frontal motor cortices in the rat, 181
Kyuwa, S., see Negishi, T., 99
Lamas, M., see Maqueda, J., 69

Landolfi, C., see Mancini, F., 79
Lao, L., see Zhang, R.-X., 213
Latash, M.L., see Shim, J.K., 72
Lee, J.H., see Kim, D., 17
Lee, S.-J., see Kim, S.-S., 41
Lee, T.-H., see Kim, D.-H., 13
Lee, Y.J., see Park, S., 91
Leroy, K., Boutajangout, A., Richardson, J., Octave, J.N., Lovestone, S., Anderton, B.H., Brion, J.P., Mutant presenilin 1 proteins induce cell death and reduce tau-dependent processes outgrowth, 226

Li, J., see Ding, Y., 173
Lijffijt, M., Van Dam, P.S., Kenemans, J.L., Koppeschaar, H.P.F., de Vries, W.R., Drent, M.L., Wittenberg, A., Kemner, C., Somatotropic-axis deficiency affects brain substrates of selective attention in childhood-onset growth hormone deficient patients, 123
Lim, J., see Park, S., 91
Lim, J.H., see Uhm, C.-S., 21
Lim, M.S.F., Lindquist, C.E.L., Birnir, B., Effects of pentobarbital on GABA-activated currents in acutely-isolated rat dentate gyrus granule neurons, 139
Lin, C.-H., see Hong, C.-J., 75
Lin, S., Yan, C., Wei, X., Paul, S.M., Du, Y., p38 MAP kinase mediates bilirubin-induced neuronal death of cultured rat cerebellar granule neurons, 209
Lin, T.R., see Zhang, W., 157
Lin, Y., see Stone, E.A., 231
Lindquist, C.E.L., see Lim, M.S.F., 139
Liu, H.-C., see Hong, C.-J., 75
Liu, T.-Y., see Hong, C.-J., 75
Love, S., Neuronal expression of cell cycle-related proteins after brain ischaemia in man, 29
Lovestone, S., see Leroy, K., 226
Luan, X., see Ding, Y., 173
Ludolph, A.C., see Süssmuth, S.D., 57

Macé, S., see Cousin, E., 153
Mäkelä, A.M., Alku, P., Tiitinen, H., The auditory N1m reveals the left-hemispheric representation of vowel identity in humans, 111
Maletta, R., see Confaloni, A., 61
Maletta, R., see Emanuele, E., 201
Mancini, F., Landolfi, C., Muzio, M., Aquilini, L., Soldo, L., Coletta, I., Guglielmotti, A., Mantovani, A., Pinza, M., Milanese, C., Acetaminophen down-regulates interleukin-1β-induced nuclear factor-κB nuclear translocation in a human astrocytic cell line, 79
Mantovani, A., see Mancini, F., 79
Maqueda, J., Ramírez, M., Lamas, M., Gutiérrez, R., Glutamic acid decarboxylase $(GAD)_{67}$, but not GAD_{65}, is constitutively expressed during development and transiently overexpressed by activity in the granule cells of the rat, 69
Marcon, G., see Confaloni, A., 61
Marunouchi, T., see Tanaka, M., 87
Maruoka, N., see Omata, N., 148
Mata, F., see Guillén, A., 177
Matsumura, A., see Mizokawa, S., 169
Matsuzaki, R., see Kyuhou, S.-i., 181
McAllister II, J.P., see Ding, Y., 173
McGregor, A.H., see Strutton, P.H., 33
Micieli, G., see Emanuele, E., 201
Miele, E., see Serra, P.A., 5
Miele, M., see Serra, P.A., 5
Migheli, R., see Serra, P.A., 5
Milanese, C., see Mancini, F., 79
Mizokawa, S., Tanaka, M., Matsumura, A., Nozaki, S., Watanabe, Y., Recovery from fatigue: changes in local brain 2-[^{18}F]fluoro-2-deoxy-D-glucose utilization measured by autoradiography and in brain monoamine levels of rat, 169
Mizuno, A., see Suzuki, M., 189
Moon, Y.-S., see Kim, D.-H., 13
Mulholland, M.W., see Zhang, W., 157
Mullan, M., see Quadros, A., 66
Mura, M.P., see Serra, P.A., 5
Murata, T., see Omata, N., 148
Muzio, M., see Mancini, F., 79
Myers, E., see Anokhin, A.P., 45
Mynlieff, M., see Carter, J.R., 221

Nakano, T., see Katsu, T., 53
Nakata, K., see Katsu, T., 53
Negishi, T., Ishii, Y., Kyuwa, S., Kuroda, Y., Yoshikawa, Y., Inhibition of staurosporine-induced neuronal cell death by bisphenol A and nonylphenol in primary cultured rat hippocampal and cortical neurons, 99
Neubauer, A.C., see Stipacek, A., 193
Neuper, C., see Stipacek, A., 193
Nomura, A., see Katsu, T., 53
Nozaki, S., see Mizokawa, S., 169
Nukina, N., see Hoshino, M., 135
Nuss, P., see Verleye, M., 127
Nygren, A., see Ktonas, P., 161

Octave, J.N., see Leroy, K., 226
Okuyama, S., see Kawashima, N., 119
Omata, N., Murata, T., Maruoka, N., Fujibayashi, Y., Yonekura, Y., Wada, Y., Different mechanisms of hypoxic injury on white matter and gray matter as revealed by dynamic changes in glucose metabolism in rats, 148
Ookawara, S., see Suzuki, M., 189
Oyama, Y., see Suzuki, M., 189

Paris, D., see Quadros, A., 66
Park, S., Kim, E.Y., Ghil, G.S., Joo, W.S., Wang, K.C., Kim, Y.S., Lee, Y.J., Lim, J., Genetically modified human embryonic stem cells relieve symptomatic motor behavior in a rat model of Parkinson's disease, 91
Patel, N., see Quadros, A., 66
Paul, S.M., see Lin, S., 209
Pee, D.-H., see Uhm, C.-S., 21
Peros, E., see Emanuele, E., 201
Perri, M., see Confaloni, A., 61
Pinza, M., see Mancini, F., 79
Piscopo, P., see Confaloni, A., 61
Pradier, L., see Cousin, E., 153

Qiao, J.-T., see Zhang, R.-X., 213
Qiu, Y., Fu, Q., Wang, X., Tran, T.D., Inui, K., Iwase, S., Kakigi, R., Microneurographic study of C fiber discharges induced by CO_2 laser stimulation in humans, 25
Quadros, A., Patel, N., Crescentini, R., Crawford, F., Paris, D., Mullan, M., Increased TNFα production and Cox-2 activity in organotypic brain slice cultures from APPsw transgenic mice, 66
Quartermain, D., see Stone, E.A., 231

Ralano, A., see Anokhin, A.P., 45
Ramírez, M., see Maqueda, J., 69
Ribeiro-da-Silva, A., see Bell, K.F.S., 143
Ricard, S., see Cousin, E., 153
Richardson, J., see Leroy, K., 226
Roberts, T.P.L., see Inouchi, M., 165
Roberts, T.P.L., see Kubota, M., 107
Rocchitta, G., see Serra, P.A., 5
Rubio, M.F., Agostino, P.V., Ferreyra, G.A., Golombek, D.A., Circadian heme oxygenase actitivy in the hamster suprachiasmatic nuclei, 9

Ruda, M.A., see Zhang, R.-X., 213

Sakai, A., see Katsu, T., 53
Sakasegawa, Y., Kishida, H., Sakurai, M., Asada, T., Kinoshita, T., Goto, Y., Kimura, H., Kuroiwa, Y., Hachiya, N.S., Kaneko, K., Lack of association between TrkA single nucleotide polymorphisms and sporadic Alzheimer's disease in a Japanese population, 49
Sakurai, M., see Sakasegawa, Y., 49
Sato, G., Tanaka, R., Akiyama, K., Yamanaka, R., Sato, M., Immunohistochemical analysis of myelination following hemicranial irradiation in neonatal rats, 131
Sato, M., see Sato, G., 131
Serra, P.A., Migheli, R., Rocchitta, G., Taras, M.G., Mura, M.P., Delogu, M.R., Esposito, G., Desole, M.S., Miele, E., Miele, M., Role of the nitric oxide/cyclic GMP pathway and ascorbic acid in 3-morpholinosydnonimine (SIN-1)-induced increases in dopamine secretion from PC12 cells. A microdialysis in vitro study, 5
Shigemoto, R., see Bell, K.F.S., 143
Shim, J.K., Latash, M.L., Zatsiorsky, V.M., The human central nervous system needs time to organize task-specific covariation of finger forces, 72
Shin, M.-C., see Kim, S.-S., 41
Shin, M.-S., see Kim, S.-S., 41
Shohami, E., see Trembovler, V., 115
Soldo, L., see Mancini, F., 79
Song, D.-K., see Kim, D.-H., 13
Steggerda, S., see Bell, K.F.S., 143
Stipacek, A., Grabner, R.H., Neuper, C., Fink, A., Neubauer, A.C., Sensitivity of human EEG alpha band desynchronization to different working memory components and increasing levels of memory load, 193
Stone, E.A., Lin, Y., Quartermain, D., Immobility from administration of the α_1-adrenergic antagonist, terazosin, in the IVth ventricle in rats, 231
Strutton, P.H., Catley, M., McGregor, A.H., Davey, N.J., Corticospinal excitability in patients with unilateral sciatica, 33
Suh, H.-W., see Kim, D.-H., 13
Sunagawa, K., see Takauchi, Y., 205
Sunter, D., Hewson, A.K., Dickson, S.L., Intracerebroventricular injection of apelin-13 reduces food intake in the rat, 1
Süssmuth, S.D., Tumani, H., Ecker, D., Ludolph, A.C., Amyotrophic lateral sclerosis: disease stage related changes of tau protein and S100 beta in cerebrospinal fluid and creatine kinase in serum, 57
Suzuki, M., Watanabe, Y., Oyama, Y., Mizuno, A., Kusano, E., Hirao, A., Ookawara, S., Localization of mechanosensitive channel TRPV4 in mouse skin, 189

Takaki, M., see Katsu, T., 53
Takauchi, Y., Yamazaki, T., Akiyama, T., Sunagawa, K., N^G-nitro-L-arginine methyl ester-induced norepinephrine release from cardiac sympathetic nerve endings in anesthetized cats, 205
Takio, K., see Hoshino, M., 135
Tanaka, M., Marunouchi, T., Immunohistochemical localization of Notch receptors and their ligands in the postnatally developing rat cerebellum, 87
Tanaka, M., see Mizokawa, S., 169
Tanaka, R., see Sato, G., 131
Tanaka, Y., see Katsu, T., 53
Taras, M.G., see Serra, P.A., 5
Terreni, L., see Confaloni, A., 61
Tian, Z.-Z., see Zhao, H., 37
Tiitinen, H., see Mäkelä, A.M., 111
Tockgo, Y.-C., see Uhm, C.-S., 21
Tokuno, H., see Chiken, S., 103
Tomaino, C., see Emanuele, E., 201
Tran, T.D., see Qiu, Y., 25
Trembovler, V., Abu-Raya, S., Shohami, E., Synergism between tumor necrosis factor-α and H_2O_2 enhances cell damage in rat PC12 cells, 115
Tsai, S.-J., see Hong, C.-J., 75
Tumani, H., see Süssmuth, S.D., 57

Uchida, N., see Katsu, T., 53
Uhm, C.-S., Kim, K.-B., Lim, J.H., Pee, D.-H., Kim, Y.-H., Kim, H., Eun, B.-L., Tockgo, Y.-C., Effective treatment with fucoidin for perinatal hypoxic–ischemic encephalopathy in rats, 21
Ujike, H., see Katsu, T., 53

Van Dam, P.S., see Lijffijt, M., 123
Verleye, M., Heulard, I., Nuss, P., Gillardin, J.-M., Effects of stress and etifoxine on pentobarbital-induced loss of righting reflex in Balb/cByJ and C57BL/6J mice, 127
Vosko, M.R., Busch, E., Burggraf, D., Bültemeier, G., Hamann, G.F., Microvascular basal lamina damage in thromboembolic stroke in a rat model, 217

Wada, Y., see Omata, N., 148
Wang, K.C., see Park, S., 91
Wang, X., see Qiu, Y., 25
Watanabe, Y., see Mizokawa, S., 169
Watanabe, Y., see Suzuki, M., 189
Wei, X., see Lin, S., 209
Wittenberg, A., see Lijffijt, M., 123
Won, L., Bubula, N., Hessefort, S., Gross, M., Heller, A., Enhanced survival of primary murine dopaminergic neurons induced by a partially purified cell lysate fraction from mouse-derived striatal hybrid monoclonal cells, 83
Won, Y.J., see Kim, D., 17
Wood, S., see Anokhin, A.P., 45

Yamanaka, R., see Sato, G., 131
Yamauchi, T., see Yoshimura, Y., 185
Yamazaki, T., see Takauchi, Y., 205
Yan, C., see Lin, S., 209
Yonekura, Y., see Omata, N., 148
Yoon, S.-Y., see Kim, D., 17
Yoshikawa, Y., see Negishi, T., 99
Yoshimura, Y., Ichinose, T., Yamauchi, T., Phosphorylation of tau protein to sites found in Alzheimer's disease brain is catalyzed by Ca^{2+}/calmodulin-dependent protein kinase II as demonstrated tandem mass spectrometry, 185
Young, C.N., see Ding, Y., 173

Zatsiorsky, V.M., see Shim, J.K., 72
Zhang, R.-X., Lao, L., Qiao, J.-T., Ruda, M.A., Strain differences in pain sensitivity and expression of preprodynorphin mRNA in rats following peripheral inflammation, 213
Zhang, W., Lin, T.R., Hu, Y., Fan, Y., Zhao, L., Mulholland, M.W., Activation of *c-fos* expression in the rat inferior olivary nucleus by ghrelin, 157
Zhao, H., Tian, Z.-Z., Chen, B.-Y., Increased corticortropin-releasing hormone release in ovariectomized rats' paraventricular nucleus: effects of electroacupuncture, 37
Zhao, L., see Zhang, W., 157